



Illinois Crop Progress and Condition

Released June 22, 2020

There were 6.4 days suitable for fieldwork during the week ending June 21, 2020. Statewide, the average temperature was 72.8 degrees, 0.3 degrees below normal. Precipitation averaged 0.40 inches, 0.56 inches below normal. Topsoil moisture supply was rated at 7 percent very short, 26 percent short, 63 percent adequate, and 4 percent surplus. Subsoil moisture supply was rated at 5 percent very short, 19 percent short, 71 percent adequate, and 5 percent surplus. Corn condition was rated at 3 percent very poor, 6 percent poor, 32 percent fair, 48 percent good, and 11 percent excellent. Soybeans planted reached 97 percent compared to the previous year at 76 percent and the 5-year average of 92 percent. Soybeans emerged reached 92 percent compared to the previous year at 62 percent and the 5-year average of 86 percent. Soybeans blooming reached 2 percent compared to the 5-year average of 4 percent. Soybeans condition was rated at 3 percent very poor, 5 percent poor, 32 percent fair, 51 percent good, and 9 percent excellent. Winter wheat harvested was at 26 percent compared to the previous year at 12 percent and the 5-year average of 37 percent. Winter wheat condition was rated 6 percent very poor, 8 percent poor, 21 percent fair, 54 percent good, and 11 percent excellent.

Days Suitable for Fieldwork and Soil Moisture Supply: Week Ending June 21, 2020

State	Days Suitable for Fieldwork	Topsoil Moisture Supply				Subsoil Moisture Supply			
		Very Short	Short	Adequate	Surplus	Very Short	Short	Adequate	Surplus
		(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)
Illinois	6.4	7	26	63	4	5	19	71	5

Crop Progress – Illinois

Item	Week ending			2015-2019 Average
	June 21, 2020	June 14, 2020	June 21, 2019	
	(percent)	(percent)	(percent)	(percent)
Soybeans planted	97	94	76	92
Soybeans emerged	92	84	62	86
Soybeans blooming	2	(NA)	(NA)	4
Winter wheat harvested	26	3	12	37
Alfalfa hay 1st cutting	97	88	77	90
Alfalfa hay 2nd cutting	2	(NA)	2	14
Other hay cut	94	86	66	84

(NA) Not available.

Corn Condition – Illinois

Date	Very Poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
June 21, 2020	3	6	32	48	11
June 14, 2020	3	7	27	48	15
June 21, 2019	5	12	36	41	6

Soybeans Condition – Illinois

Date	Very Poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
June 21, 2020	3	5	32	51	9
June 14, 2020	3	5	28	51	13
June 21, 2019	4	14	40	36	6

Winter Wheat Condition – Illinois

Date	Very Poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
June 21, 2020	6	8	21	54	11
June 14, 2020	5	9	26	50	10
June 21, 2019	9	17	47	24	3

Pasture Condition – Illinois

Date	Very Poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
June 21, 2020	2	4	29	54	11
June 14, 2020	1	4	27	55	13
June 21, 2019	2	5	24	46	23



Weather Information: Week Ending June 21, 2020

District and State	Temperature		Precipitation		Growing Degree Days	
	Average	Departure from Normal	Total	Departure from Normal	Since May 1	Departure from Normal
	(degrees - F)	(degrees - F)	(inches)	(inches)		
Northwest	71.9	0.9	0.35	-0.68	790	6
Northeast	72.3	1.8	0.16	-0.76	779	28
West	73.2	0	0.71	-0.20	855	-11
Central	72.6	-0.2	0.38	-0.61	841	-15
East	72.7	0	0.38	-0.60	835	-13
West Southwest	73.6	-0.6	0.56	-0.38	894	-17
East Southeast	73.0	-1.3	0.31	-0.62	896	-24
Southwest	73.1	-1.9	0.32	-0.65	930	-28
Southeast	72.8	-2.5	0.41	-0.53	937	-35
Illinois	72.8	-0.3	0.40	-0.56	859	-11

Weather data provided by the Midwestern Regional Climate Center: <http://mrcc.isws.illinois.edu>

Average Temperature (°F): Departure from 1981-2010 Normals


June 15, 2020 to June 21, 2020



Stations from the following networks used: WBAN, COOP, FAA, GHCN, ThreadEx, CoCoRaHS, WMO, ICAO, NWSLI, Midwestern Regional Climate Center
cli-MATE: MRCC Application Tools Environment
Generated at: 6/22/2020 10:45:42 AM CDT

Accumulated Precipitation (in)

June 15, 2020 to June 21, 2020



Stations from the following networks used: WBAN, COOP, FAA, GHCN, ThreadEx, CoCoRaHS, WMO, ICAO, NWSLI, Missouri FSA, Missouri Mesonet, Midwestern Regional Climate Center
cli-MATE: MRCC Application Tools Environment
Generated at: 6/22/2020 10:41:08 AM CDT

Access to NASS Reports

For your convenience, you may access NASS reports and products the following ways:

- All reports are available electronically, at no cost, on the NASS web site: <http://www.nass.usda.gov>
- Both national and state specific reports are available via a free e-mail subscription. To set-up this free subscription, visit <http://www.nass.usda.gov> and in the “Follow NASS” box under “Receive reports by Email,” click on “National” or “State” to select the reports you would like to receive.
- Follow us on Twitter @usda_nass

For more information on NASS surveys and reports, call the Heartland Regional Field Office at (314) 595-9594 or e-mail: nassrfohlr@usda.gov.